



IMMERTEC[®]

Immersion Heaters

IMMERSION HEATERS

40

Conforms to:
EN 60335-1:2002
EN 60335-2-73:2003



Dual Element Copper Immersion Heaters with 1M/2M fitted Cable



CODE	LENGTH	CA-BLE	STATS	MATERIAL	ELEMENT	PACK QTY	PRICE €
710530	24"	1M	1	Copper	Dual	20	
710531	27"	1M	1	Copper	Dual	20	
710532	36"	1M	1	Copper	Dual	12	
710543	24"	2M	1	Copper	Dual	20	
710544	27"	2M	1	Copper	Dual	20	
710546	36"	2M	1	Copper	Dual	12	


Dual & Single Incoloy Immersion Heaters with 2M Fitted Cable



CODE	LENGTH	CABLE	STATS	MATERIAL	ELEMENT	PACK QTY	PRICE €
710548	11"	2M	1	Incoloy	Single	20	
710537	24"	2M	1	Incoloy	Dual	20	
710542	27"	2M	1	Incoloy	Dual	20	
710538	36"	2M	1	Incoloy	Dual	12	


All Dual Heaters are also available in Incoloy Sheathed elements. Guaranteed for 3 years.

Single Element Copper Immersion Heaters with 1M/2M fitted cable to EN 60335-2-73



CODE	LENGTH	CABLE	STATS	MATERIAL	ELEMENT	PACK QTY	PRICE €
710536	11"	1M	1	Copper	Single	20	
710547	11"	2M	1	Copper	Single	20	

Replacement Thermostat



CODE	LENGTH	MATERIAL	PACK QTY	PRICE €
710441	7"	Copper	10	
710539	9"	Copper	10	
710442	11"	Copper	10	



All Copper Immertec product are CE approved and conform to: EN60335-1:2002 & EN60335-2-73:2003

The Economiser Rapid Heater



Immersion Heater Plugs




CODE	LENGTH	BOX QTY	PRICE €
920100	2¼"	2000	
710540	immersion heater plug washer	2000	

CODE	PACK QUANTITY	PRICE €
920120	20	
920121	20 - Can only	

How the Economiser Rapid Heater works

- A** Economiser immersion
- B** Cold feed from tank
- C** 1/2"/15mm copper tube



An Economiser Rapid water heater can heat approx. 4.5L of water every 5 mins.

- For a shower = pre-heat for 10/15 mins.
- For dishes, shaving etc = preheat for 5 mins.

Not recommended for use in hard water areas